

JS8Call Quick Reference

Version 1.2

Waterfall

Initiating a QSO or message – select an offset not currently being used
Replying in a QSO – select same offset as the other station

User Interface

- Left Pane - Incoming message area. 2-click to move to Selected area.
- Middle Pane top (yellow) - Selected message area
- Middle Pane bottom (white) - Type message area
- Right Pane - Call Activity, heard list of call signs

CALL-A is **initiating**, CALL-B is **middle**, CALL-C is **receiving**


Relaying

- ➊ Right click on CALL-B from Call Activity (right) pane.
- ➋ Select *Directed to CALL-B*
- ➌ Select >[MESSAGE] – *Please relay this message to its destination*
- ➍ Edit message to CALL-B > CALL-C > this is the message text

Remote Message Storage at Recipient

- ➊ Right click on CALL-C from Call Activity (right) pane.
- ➋ Select *Directed to CALL-C – Please store this message in your In-Box*
- ➌ Edit message to CALL-C MSG this is the message text

Retrieval of Message left

- ➊ CALL-C sees flag icon  next to CALL-A in Call Activity pane
- ➋ CALL-C right clicks on CALL-A, select *Show message inbox*

Message to Mailbox at 3rd Party

- ➊ Select CALL-B from Call Activity (right) pane.
- ➋ Select *Directed to CALL-B. Select MSG TO:[CALLSIGN]*
[MESSAGE] – Store for later retrieval by [CALLSIGN]
- ➌ Edit message to: CALL-B MSG TO:CALL-C this is message text
- ➍ CALL-C uses Query Message procedure to retrieve message

JS8Call Quick Reference

Version 1.2

Waterfall

Initiating a QSO or message – select an offset not currently being used
Replying in a QSO – select same offset as the other station

User Interface

- Left Pane - Incoming message area. 2-click to move to Selected area.
- Middle Pane top (yellow) - Selected message area
- Middle Pane bottom (white) - Type message area
- Right Pane - Call Activity, heard list of call signs

CALL-A is **initiating**, CALL-B is **middle**, CALL-C is **receiving**


Relaying

- ➊ Right click on CALL-B from Call Activity (right) pane.
- ➋ Select *Directed to CALL-B*
- ➌ Select >[MESSAGE] – *Please relay this message to its destination*
- ➍ Edit message to CALL-B > CALL-C > this is the message text

Remote Message Storage at Recipient

- ➊ Right click on CALL-C from Call Activity (right) pane.
- ➋ Select *Directed to CALL-C – Please store this message in your In-Box*
- ➌ Edit message to CALL-C MSG this is the message text

Retrieval of Message left

- ➊ CALL-C sees flag icon  next to CALL-A in Call Activity pane
- ➋ CALL-C right clicks on CALL-A, select *Show message inbox*

Message to Mailbox at 3rd Party

- ➊ Select CALL-B from Call Activity (right) pane.
- ➋ Select *Directed to CALL-B. Select MSG TO:[CALLSIGN]*
[MESSAGE] – Store for later retrieval by [CALLSIGN]
- ➌ Edit message to: CALL-B MSG TO:CALL-C this is message text
- ➍ CALL-C uses Query Message procedure to retrieve message

Local Message Storage and Retrieval

- 1 Select CALL-C from Call Activity (right) pane, Right-click
- 2 Select Store message from the menu
- 3 Type message in dialog box, then click OK
- 4 CALL-C uses Query Message procedure to retrieve message

Query Stations for Messages

- 1 CALL-C selects a Group or a Station from Call Activity (right) pane
- 2 CALL-C clicks on Directed to <selection> and select *QUERY MSGS – Do you have any messages for me?* from menu

CALL-C: CALL-B QUERY MSGS

CALL-B: CALL-C YES MSG ID 123

Retrieve a Stored Message

- 1 CALL-C selected CALL-B from Call Activity (right) pane
- 2 CALL-C clicks on *Directed to <selection>* and selects from menu *QUERY MSG [ID] – Please deliver complete message ... ID*
- 3 CALL-C edits the message in outgoing pane and sends it
CALL-B QUERY MSG 123
- 4 CALL-B verifies message ID number, sends message and checksum
- 5 CALL-C verifies checksum, message is saved in in-box, alert box is displayed. If checksum test passes, ACK is sent to CALL-B



Time Sync Resources

2.500	WWV (Fort Collins, Colorado)
5.000	WWV (Fort Collins, Colorado)
7.850	CHU (Ottawa, Canada)
10.000	WWV (Fort Collins, Colorado)
15.000	WWV (Fort Collins, Colorado)
15.000	WWVH (Hawaii)
20.000	WWV (Fort Collins, Colorado)

Local Message Storage and Retrieval

- 1 Select CALL-C from Call Activity (right) pane, Right-click
- 2 Select Store message from the menu
- 3 Type message in dialog box, then click OK
- 4 CALL-C uses Query Message procedure to retrieve message

Query Stations for Messages

- 1 CALL-C selects a Group or a Station from Call Activity (right) pane
- 2 CALL-C clicks on Directed to <selection> and select *QUERY MSGS – Do you have any messages for me?* from menu

CALL-C: CALL-B QUERY MSGS

CALL-B: CALL-C YES MSG ID 123

Retrieve a Stored Message

- 1 CALL-C selected CALL-B from Call Activity (right) pane
- 2 CALL-C clicks on *Directed to <selection>* and selects from menu *QUERY MSG [ID] – Please deliver complete message ... ID*
- 3 CALL-C edits the message in outgoing pane and sends it
CALL-B QUERY MSG 123
- 4 CALL-B verifies message ID number, sends message and checksum
- 5 CALL-C verifies checksum, message is saved in in-box, alert box is displayed. If checksum test passes, ACK is sent to CALL-B



Time Sync Resources

2.500	WWV (Fort Collins, Colorado)
5.000	WWV (Fort Collins, Colorado)
7.850	CHU (Ottawa, Canada)
10.000	WWV (Fort Collins, Colorado)
15.000	WWV (Fort Collins, Colorado)
15.000	WWVH (Hawaii)
20.000	WWV (Fort Collins, Colorado)